




FIGURE 5 (Prior Art)

			— 32 Bits —		
 _ - _ _ 	لــــــــــــــــــــــــــــــــــــــ		<u> </u>	<u> </u>	
Version 602	IHL ₆₀₄	Type of service	101 H/7 1	Total length	
	Identific	cation	610 F	M 612 Fragment offset	
Time to	live 616	Protocol	618	Header checksum	
		S	ource addre	ss	
		Des	stination add	ress	
		Option	s (0 or more	words)	
		F	IGURE	6A 412 J	
	,	· (Prior Art		
÷			32 Bits		
-					
L	L_L_L_L_	<u> </u>			
	~602 °	<u> </u>			
Version	/ j / `	,604		label 630	
Version	Priority	Nongth	Flow	<u> </u>	
Version	Priority	d length 6	Flow	header Hon limit	
Version	Priority	d length 6	Flow. Next	<u> </u>	
Version	Priority	d length 6	Flow. Next	header ₆₃₄ Hop limit 636	
Version	Priority	Sour (*)	Flow. Next	header ₆₃₄ Hop limit 636	
Version	Priority	Sour (*)	Flow Next rce address 16 bytes)	header ₆₃₄ Hop limit 636	











FIGURE 9 (Prior Art)







FIGURE 12 (PRIOR ART)



OSEMEN. GYESOS

က ဝ O ∞ 7 9 2 4 က ~ 0 0 თ ω 9 2 4 က - 0 တ ω ဖ 2 4 က 0 0

			09 <u>1340'</u>	1360'	1370"
	HOST MAC ADDRESS	SS (CONTINUED)	60X0 = 0X06	LENGTH = 0x0004	TAG_LENGTH = 0x0000
			TYPE = 1 <u>1320'</u>		
####			VERSION = 1 1310'		
Oxfffffff	0xffff	HOST MAC ADDRESS (CONTINUED)	ETHER_TYPE = 0x8863	SESSION ID = 0x0000 1350'	TAG_TYPE = 0x0101

FIGURE 11 (PRIOR ART)

ო 0 တ ω / ဖ 2 4 က 0 0 0 თ ω / 9 2 4 က 2 - 0 တ ∞ / ၑ S 4 က 2 0

1350] :
	<u>1370</u>
SESSION ID	PAYLOAD
1340	1360
CODE	GTH
TYPE 1320	LENG
VERSION 1310	

1260'


FIGURE 13 (PRIOR ART)


က ဝ တ ω 9 2 4 က 0 2 တ ∞ 9 ß 4 က ~ 0 တ ∞ 9 2 4 က ~ 0

1420	:
TAG_LENGTH	1430
TAG_TYPE 1410	TAG_VALUE

1370'

FIGURE 14 (PRIOR ART)









FIGURE 17






FIGURE 21

2100

